

DESCRIPTION

NatMatte Sealer is an impregnating sealer, meaning it will leave no sheen, shine or surface coating of any kind. The product soaks into the stone surface which remains completely natural in appearance. NatMatte Sealer protects stone from staining from food, oil, grease, drinks, leaves, trees and general dirt. Helps to reduce algae growth.

USES

For use on Sandstone and Limestone, NOT including Black Limestone

- General dirt
- Algae growth
- Stains from food, oil, birds, plants, leaves and trees
- No sheen or shine
- No color change on most stones

TEST FIRST

Due to the nature of different surfaces, you should do several test areas in inconspicuous areas according to the label instructions to determine surface colour stability and desired results. The end user must determine the suitability of the product for their intended use.

PRECAUTIONS

- Wear suitable clothing (gloves, eye protection and footwear) to prevent skin and eye contamination.
- If splashed in eyes rinse continuously with water. Remove contact lenses if possible. Seek medical attention or a poison center.
- Keep off all other surfaces, clothing and plants
- Always test on a small, inconspicuous area first. Check that you achieve a uniform finish with no unusual or undesirable marks of any kind (the product is practically invisible when used correctly).
- Surface to be sealed must be DRY, clean and free from Efflorescence (white mineral salts).
- Use only in DRY weather when surface temperature is between 6°C and 28°C.
- Read the full instructions and Materials Safety Data Sheet available on unilock.com.

INSTRUCTIONS

1. Sweep, vacuum or wipe the surface.
2. Shake well before using.
3. Carefully apply the solution using a wide paintbrush for small areas e.g. test areas. You can use a long handled 'flat mop' for larger areas. Use the product as delivered (DO NOT DILUTE) and apply in a uniform coat.
4. Keep the surface of the stone slightly wet with NatMatte Sealer for between 5 and 15 minutes (if the first application soaks in after 3 to 5 minutes apply some more).
5. Move the product with the brush or mop every few minutes so that it remains uniform on the stone.
6. Once the surface has been kept wet for 15 minutes you can leave it to soak in for another 10 to 15 minutes.
7. Approximately 25 to 30 minutes after initial application wipe over the area with a sponge or flat mop to remove excess liquid.
8. DO NOT ALLOW PUDDLES TO REMAIN ON THE STONE AFTER 30 MINUTES.
9. If 2 or more coats are required (determined via testing) apply second coat within 10 minutes of the first, (wet-on-wet) for best results.

10. The surface is ready for light traffic after 2 hours. Keep surface dry for 12 hours. Coverage: Sandstone. 6 M2 per liter. Limestone (but NOT Black Limestone, use NatColorEnhance Sealer) 8-10M2 per liter.

LIMITATIONS

Do not mix with other chemicals or allow product to come in contact with any non-recommended surfaces.

COVERAGE

6 M2 per liter Always test on an inconspicuous area first to ensure you achieve the desired effect. DO NOT mix with other products. BEFORE USE: Read precautions on the reverse of this bottle and the Materials Safety Data Sheet available at Unilock.com. For external use only. Causes skin burns. DO NOT mix with other products.

HANDLING AND STORAGE

- Close container tightly after each use.
- Store upright in original container only for up to 12 months.
- Store away from direct sunlight and sources of heat.
- Protect from frost.
- Keep out of reach of children and animals.
- Ensure adequate ventilation of the working area.

SPILLAGES

Spills should be covered with a suitable absorbent material, e.g. sand, earth or spill granules and collected for disposal.

FIRST AID

INHALATION - Remove from exposure. If breathing becomes difficult seek medical attention.

EYE CONTACT - hold eyelids apart and flush the eye continuously with running water for at least 15 minutes. If worn, remove contact lenses. If irritation persists, seek medical attention.

SKIN CONTACT - remove contaminated clothing and flush skin and hair with running water. If irritation persists, seek medical attention.

INGESTATION – If irritation or sickness persists, seek medical attention.

SAFETY DIRECTIONS

Wear protective clothing including overall, gloves and eye protection to prevent skin and eye contact.

Do not eat, drink or smoke when using this product.

WARNING

May cause an allergic reaction; seek medical advice immediately if irritation or symptoms persist (show the label if possible).

ALWAYS DO A TEST FIRST